



KATOO

www.katoolautoequip.com



Car Bench KT-198L


Auto Body Collision Repair System

- KT-198L, working platform made of rectangular tube steels is designed professionally for body collision repair by choosing better material, improving welding technique and enhancing stress intensity to make the repairing work more precise and faster. One of important features is no-blind working range, which is in accord with the technician's habit to make more convenient operation. It can be widely used for nearly all kinds of small cars, MPV,SUV, business vehicles and pickup trucks.



Drawing

Single platform width is 610mm ,middle distance is 920mm, this structure makes the platform stronger and safer when driving vehicles on the machine.



Specifications

2023

Main technical parameter KT-198L		
Length	5600mm/18feet	6000mm/20feet
Width	2140mm	2140mm
Height	520mm	520mm
Pulling capacity	10tons	10tons
Air supply required	0.8MPA	0.8MPA
Radius of pulling	360°	360°
Max. load	3500kg/7700lb	3500kg/7700lb

Features:

The platform is made of 6mm thickness of rectangular tube, welded by full board with multi-positioning holes surrounded, which ensures the platform with high flatness, strong anti-torsion strength, no-blind fixing ways and efficient straightening.



Tilt hydraulic lifting platform makes the accidental vehicle loading and unloading more conveniently (even drive the car onto the platform directly).



Towers can be rotated 360 degrees along the platform and be made of 10mm seamless steel pipe, which means more convenient moving and high intensity if both towers straighten in diagonal line



Unique design of spiral movements for main clamps is easier to make jaws upper and lower on precondition of maintaining the flat level by adjusting the pole vertically to clamp different height chassis of all kinds of vehicles. Quick fixed clamp with only two screws, making chassis clamping more efficient.




Features:

- All accessories and tools are mechanical streamline design and have durable life by multi-heating and forging processes.
- The leading arm can supply multi-direction tensile during the collision repair.
- High-precision and retractable alloy two dimension measurement has no breaking point.(optional)
- Hydraulic pumps customized according to repair environment, power is strong and durable. Convenient, quick, abundant, low repair cost.







KT-198L CONFUGURATION LIST



















No.	Parts included	Quantity (set)	Remark
1	KT198L	1	
1)	Fixed support leg	1	
2)	Movable support leg	1	
3)	Tilt-lift platform (include oil cylinder)	1	
4)	ramps	2	

2	360° rotation Pulling towers	2
1)	Push rod of cylinder	2
2)	Bolts for fixing towers	4
3)	Bolt plates for fixing towers	4
4)	Nut for fixing towers	4
5)	In-built adjustable collars	2
6)	Protective wire	2
7)	3.5M chain	2
8)	10T high-pressure oil cylinder	2
9)	3.5m main chain(with chain hook)	2







3	Tiger style main clamp	4	
1)	Foot for fixing jaws clamp(M12bolts)	4	
2)	Screw clamp of tiger main clamp	4	
3)	Bolts, pressure plate, nut for fixing jaws main clamp	4	
4	Pneumatic hydraulic pump (include oil pipe、 quick couplers)	2	
5	Pothook	20	
6	Tools board & accessories	1	

1)	1.2M Chain with rake body	2	
2)	Small clamp	1	
3)	Mini clamp	1	
4)	Wide clamp	1	
5)	C - clamp	1	
6)	Big bending hook (1-3)	1	
7)	Deep hook	1	
8)	Slotted chain anchor	2	

9)	Multi hole pull plate	1	
10)	Nylon sling	1	
11)	Steel wire	1	
12)	Handy link	1	
13)	Big spanner	1	
14)	Double connector	1	
15)	Down-pulling Device	1	
16)	strut puller kit	1	

Configuration List

17)	Wheel dolly	2	
18)	Crescent spanner	1big 1small	
19)	Steel hook	1set	
7	Data base	1	
	Operating manual	1	



Contact Us



KATOOOL

www.katoolautoequip.com

Sales: 447-902-3857
Technical: 716-299-8852
Email: info@autokato.com

City of Industry, CA
Brookshire, TX
Pooler, GA
Bolingbrook, IL
Jersey City, NJ